



THE RITZ CARLTON SAN FRANCISCO
600 STOCKTON STREET
SAN FRANCISCO, CA 94108 USA



SHEET INDEX

C-01 COVER PAGE
RCP-1 THE BALLROOM
RCP-2 BALLROOM DIMENSIONS
RCP-3 RIGGING POINTS
RCP-4 RIGGING POINT DIMENSIONS
SHOW PLOT



This drawing is proprietary information intended for representation of concepts and for discussion purposes only for the intended recipient. This is not submitted as an exact plan and is intended to be used as a guide to the approximate room setup at this facility. Since on-site variations or adjustments may occur, PSAV is not responsible for any unauthorized use of this document

The Ritz Carlton San Francisco
THE BALLROOM

PSAV ® Presentation Services
2888 Galvin Parkway
Elgin, IL



C01



PSAV ® Presentation Services
Rigging Services
2888 Galvin Parkway
Elgin, IL

THE RITZ CARLTON SAN FRANCISCO
600 STOCKTON STREET
SAN FRANCISCO, CA 94108 USA



THE RITZ-CARLTON®
SAN FRANCISCO

SQ. FOOTAGE: 9,360	TILE HEIGHT: N/A
CHANDELIER HEIGHT: 9'-9"	AIRWALL HEIGHT: 12'-9"
CEILING HEIGHT: 15'-10"	SOFFIT HEIGHT: 13'-8" & 14'-8"

OF EXISTING POINTS:

OF TOTAL POINTS
37

APPROVED BY:
Jace Mortenson

DRAWN BY:
John Mowatt


REVISD BY:

DATE:
3 July 2017

DATE:

SHEET#

RCP1



WLL:
1) 1,000 lbs.

a) THIS RIGGING SYSTEM IS INTENDED FOR INTERMITTENT USE FOR SHOWS AND EVENTS ONLY. IT IS NOT INTENDED TO PERMANENTLY SUPPORT ANY LOADS.

b) THE USE OF CHAIN MOTORS WHICH MAY GENERATE DYNAMIC LOADS ON THE RIGGING POINTS IS ACCEPTABLE.

- 1.CLIENTS ARE RESPONSIBLE FOR DISCLOSING ALL RIGGED ITEMS REGARDLESS OF WEIGHT.
- 2.POINT LOAD CALCULATIONS WILL BE VERIFIED PRIOR TO LOAD-IN. UNDISCLOSED ITEMS MAY RESULT IN ADDITIONAL POINT CHARGES AND DELAYS IN SET-UP.
- 3.NOTHING IS TO BE HUNG FROM THE AIRWALL TRACKS.
- 4.PSAV RIGGING SERVICES WILL APPROVE ALL RIGGING LOADS PRIOR TO LOAD-IN DATE.
- 5.ALL HOISTS AND CONTROL WILL BE PROVIDED BY PSAV.
- 6.ALL RIGGING HARDWARE MUST MEET ANSI STANDARDS & DISPLAY BATCH LOT IDENTIFICATION.




This drawing is proprietary information intended for representation of concepts and for discussion purposes only for the intended recipient. This is not submitted as an exact plan and is intended to be used as a guide to the approximate room setup at this facility. Since on-site variations or adjustments may occur, PSAV is not responsible for any unauthorized use of this document

THE BALLROOM:

Scale: 3/16" = 1'-0"





- WLL:
1) 1,000 lbs.
- a) THIS RIGGING SYSTEM IS INTENDED FOR INTERMITTENT USE FOR SHOWS AND EVENTS ONLY. IT IS NOT INTENDED TO PERMANENTLY SUPPORT ANY LOADS.
- b) THE USE OF CHAIN MOTORS WHICH MAY GENERATE DYNAMIC LOADS ON THE RIGGING POINTS IS ACCEPTABLE.
- 1.CLIENTS ARE RESPONSIBLE FOR DISCLOSING ALL RIGGED ITEMS REGARDLESS OF WEIGHT.
2.POINT LOAD CALCULATIONS WILL BE VERIFIED PRIOR TO LOAD-IN. UNDISCLOSED ITEMS MAY RESULT IN ADDITIONAL POINT CHARGES AND DELAYS IN SET-UP.
3.NOTHING IS TO BE HUNG FROM THE AIRWALL TRACKS.
4.PSAV RIGGING SERVICES WILL APPROVE ALL RIGGING LOADS PRIOR TO LOAD-IN DATE.
5.ALL HOISTS AND CONTROL WILL BE PROVIDED BY PSAV.
6.ALL RIGGING HARDWARE MUST MEET ANSI STANDARDS & DISPLAY BATCH LOT IDENTIFICATION.



This drawing is proprietary information intended for representation of concepts and for discussion purposes only for the intended recipient. This is not submitted as an exact plan and is intended to be used as a guide to the approximate room setup at this facility. Since on-site variations or adjustments may occur, PSAV is not responsible for any unauthorized use of this document

THE BALLROOM DIMENSIONS:

Scale: 3/16" = 1'-0"



PSAV © Presentation Services
Rigging Services
2888 Galvin Parkway
Elgin, IL

THE RITZ CARLTON SAN FRANCISCO
600 STOCKTON STREET
SAN FRANCISCO, CA 94108 USA



THE RITZ-CARLTON®
SAN FRANCISCO

SQ. FOOTAGE: 9,360	TILE HEIGHT: N/A
CHANDELIER HEIGHT: 9'-9"	AIRWALL HEIGHT: 12'-9"
CEILING HEIGHT: 15'-10"	SOFFIT HEIGHT: 13'-8" & 14'-8"
# OF EXISTING POINTS: ---	
# OF TOTAL POINTS 37	
APPROVED BY: Jace Mortenson	
DRAWN BY: John Mowatt	DATE: 3 July 2017
REVISED BY: ---	DATE: ---
SHEET#	

RCP2



PSAV ® Presentation Services
Rigging Services
2888 Galvin Parkway
Elgin, IL

THE RITZ CARLTON SAN FRANCISCO
600 STOCKTON STREET
SAN FRANCISCO, CA 94108 USA



THE RITZ-CARLTON®
SAN FRANCISCO

SQ. FOOTAGE: 9,360	TILE HEIGHT: N/A
CHANDELIER HEIGHT: 9'-9"	AIRWALL HEIGHT: 12'-9"
CEILING HEIGHT: 15'-10"	SOFFIT HEIGHT: 13'-8" & 14'-8"

OF EXISTING POINTS:

OF TOTAL POINTS
37

APPROVED BY:
Jace Mortenson


DRAWN BY:
John Mowatt

DATE:
3 July 2017

REVISED BY:

DATE:

SHEET#
RCP3



WLL:
1) 1,000 lbs.

a) THIS RIGGING SYSTEM IS INTENDED FOR INTERMITTENT USE FOR SHOWS AND EVENTS ONLY. IT IS NOT INTENDED TO PERMANENTLY SUPPORT ANY LOADS.

b) THE USE OF CHAIN MOTORS WHICH MAY GENERATE DYNAMIC LOADS ON THE RIGGING POINTS IS ACCEPTABLE.

- 1.CLIENTS ARE RESPONSIBLE FOR DISCLOSING ALL RIGGED ITEMS REGARDLESS OF WEIGHT.
- 2.POINT LOAD CALCULATIONS WILL BE VERIFIED PRIOR TO LOAD-IN. UNDISCLOSED ITEMS MAY RESULT IN ADDITIONAL POINT CHARGES AND DELAYS IN SET-UP.
- 3.NOTHING IS TO BE HUNG FROM THE AIRWALL TRACKS.
- 4.PSAV RIGGING SERVICES WILL APPROVE ALL RIGGING LOADS PRIOR TO LOAD-IN DATE.
- 5.ALL HOISTS AND CONTROL WILL BE PROVIDED BY PSAV.
- 6.ALL RIGGING HARDWARE MUST MEET ANSI STANDARDS & DISPLAY BATCH LOT IDENTIFICATION.



This drawing is proprietary information intended for representation of concepts and for discussion purposes only for the intended recipient. This is not submitted as an exact plan and is intended to be used as a guide to the approximate room setup at this facility. Since on-site variations or adjustments may occur, PSAV is not responsible for any unauthorized use of this document

THE BALLROOM RIGGING POINTS:

Scale: 3/16" = 1'-0"





PSAV © Presentation Services
Rigging Services
2888 Galvin Parkway
Elgin, IL

THE RITZ CARLTON SAN FRANCISCO
600 STOCKTON STREET
SAN FRANCISCO, CA 94108 USA



THE RITZ-CARLTON®
SAN FRANCISCO

SQ. FOOTAGE: 9,360	TILE HEIGHT: N/A
CHANDELIER HEIGHT: 9'-9"	AIRWALL HEIGHT: 12'-9"
CEILING HEIGHT: 15'-10"	SOFFIT HEIGHT: 13'-8" & 14'-8"

OF EXISTING POINTS:

OF TOTAL POINTS
37

APPROVED BY:
Jace Mortenson

DRAWN BY:
John Mowatt


DATE:
3 July 2017

REVISED BY:

DATE:

SHEET#

RCP4



WLL:
1) 1,000 lbs.

a) THIS RIGGING SYSTEM IS INTENDED FOR INTERMITTENT USE FOR SHOWS AND EVENTS ONLY. IT IS NOT INTENDED TO PERMANENTLY SUPPORT ANY LOADS.

b) THE USE OF CHAIN MOTORS WHICH MAY GENERATE DYNAMIC LOADS ON THE RIGGING POINTS IS ACCEPTABLE.

- 1.CLIENTS ARE RESPONSIBLE FOR DISCLOSING ALL RIGGED ITEMS REGARDLESS OF WEIGHT.
- 2.POINT LOAD CALCULATIONS WILL BE VERIFIED PRIOR TO LOAD-IN. UNDISCLOSED ITEMS MAY RESULT IN ADDITIONAL POINT CHARGES AND DELAYS IN SET-UP.
- 3.NOTHING IS TO BE HUNG FROM THE AIRWALL TRACKS.
- 4.PSAV RIGGING SERVICES WILL APPROVE ALL RIGGING LOADS PRIOR TO LOAD-IN DATE.
- 5.ALL HOISTS AND CONTROL WILL BE PROVIDED BY PSAV.
- 6.ALL RIGGING HARDWARE MUST MEET ANSI STANDARDS & DISPLAY BATCH LOT IDENTIFICATION.



This drawing is proprietary information intended for representation of concepts and for discussion purposes only for the intended recipient. This is not submitted as an exact plan and is intended to be used as a guide to the approximate room setup at this facility. Since on-site variations or adjustments may occur, PSAV is not responsible for any unauthorized use of this document

THE BALLROOM RIGGING POINT DIMENSIONS:


Scale: 3/16" = 1'-0"



WLL:
1) 1,000 lbs.

a) THIS RIGGING SYSTEM IS INTENDED FOR INTERMITTENT USE FOR SHOWS AND EVENTS ONLY. IT IS NOT INTENDED TO PERMANENTLY SUPPORT ANY LOADS.

b) THE USE OF CHAIN MOTORS WHICH MAY GENERATE DYNAMIC LOADS ON THE RIGGING POINTS IS ACCEPTABLE.



Show Name		Client Name		Project Manager	
Venue		Drawn By		Sales Manager	
Room		Scale		Point Load Verification	
Dates	Load In	Ceiling/Tile Height	15'-10"	Soffit Height	13'-8" & 14'-8"
	Load Out			Airwall Height	12'-9"
				Chandelier Height	9'-9"

